

View Online at <https://aerobasegroup.com/nsn/5315-00-614-3589>

First End Style:

Chamfered

Second End Style:

Round

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.339 inches

Shank Length:

Between 0.364 inches and 0.384 inches

Shoulder Width Across Flats:

Between 0.240 inches and 0.260 inches

Shank Diameter:

0.190 inches

Overall Length:

Between 1.000 inches and 1.060 inches

First End Taper Length:

0.047 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.190 inches

Second Shank Diameter:

Between 0.210 inches and 0.215 inches

First End Location:

Long end

First End Taper Angle:

45.0 degrees

Second End Outer Radius:

0.063 inches

Second Shank Length:

Between 0.521 inches and 0.541 inches

Material:

Steel comp 303

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unc

Specification Data:

80205-nas574 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-5002 spec.