

NSN 5315-00-632-7947 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-00-632-7947 First End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand

Shank Length: 0.570 inches **Shoulder Width Across Flats:** 0.380 inches **Shank Diameter:**

Between 0.248 inches and 0.310 inches

Overall Length:

Thread Length: 0.287 inches

1.270 inches

Hole Arrangement Style:

One end drilled

First Hole Diameter:

0.076 inches

Distance From Centerline Of Hole To End Of Pin:

0.140 inches

First End Taper Length:

0.030 inches

Second End Relationship With First End:

Identical

Thread Size:

0.250 inches

Shear Strength:

150000 single pounds per square inch

Second Shank Diameter:

Between 0.248 inches and 0.310 inches

First End Location:

Both ends

First End Taper Angle:

45.0 degrees

Surface Finish:

125.000 microinches

Second Shank Length:

0.630 inches

Material:

Steel comp 4140

NSN 5315-00-632-7947

Headless Shoulder Pin - Page 2 of 2



Material Specification:
Mil-s-5626 military specification single material response
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A212a0

Mil-s-5626 spec.

Mil-std (military Standard):