NSN 5315-00-664-6008

Threaded Tapered Pin - Page 1 of 2

Chamfered



View Online at https://aerobasegroup.com/nsn/5315-00-664-6008 First End Style:

Second End Style: Square **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.790 inches **Taper Length:** 2.430 inches **Taper Minor Diameter:** 0.438 inches **Taper Major Diameter:** Between 0.5484 inches and 0.5490 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: 0.106 inches **Distance From Centerline Of Hole To End Of Pin:** 0.310 inches First End Taper Length: 0.060 inches **Grip Length:** 2.050 inches Second End Relationship With First End: Not identical **Thread Size:** 0.438 inches Taper: 0.500 per foot in inches **First End Location:** Threaded end First End Taper Angle: 45.0 degrees Material: Steel comp 4130 **Material Specification:** Mil-s-6758 military specification single material response **Surface Treatment:** Chromium shank and cadmium shank

NSN 5315-00-664-6008

Threaded Tapered Pin - Page 2 of 2



Surface Treatment Specification:

Qq-c-320 cl 2 type 2 federal specification 1st treatment response shank and qq-p-416 type 1, cl 1 federal specification 2nd treatment response shank

Style Designator:

Threaded at small end

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-6758 spec.