## NSN 5315-00-664-6010

Threaded Tapered Pin - Page 1 of 2

First End Style:

Second End Style:

**Thread Class:** 

Chamfered

Square

За



View Online at https://aerobasegroup.com/nsn/5315-00-664-6010

Thread Direction:
Right-hand
Thread Length:
1.230 inches
Taper Length:
3.190 inches
Taper Minor Diameter:
0.750 inches
Taper Major Diameter:
Between 0.8934 inches and 0.8940 inches
Hole Arrangement Style:
One end drilled
First Hole Diameter:
0.141 inches
Distance From Centerline Of Hole To End Of Pin:
0.440 inches
First End Taper Length:
0.060 inches
Grip Length:
2.810 inches
Thready Qty Per Inch (tpi):
16
Second End Relationship With First End:
Not identical
Thread Size:
0.750 inches
Taper:
0.500 per foot in inches
First End Location:
Threaded end
First End Taper Angle:
45.0 degrees
Material:
Steel comp 4130
Material Specification:
Mil-s-6758 military specification single material response

## NSN 5315-00-664-6010

Threaded Tapered Pin - Page 2 of 2



	tment:

Chromium shank and cadmium shank

## **Surface Treatment Specification:**

Qq-c-320 cl 2 type 2 federal specification all treatment responses shank and qq-p-416 type 1 cl 2 federal specification all treatment responses shank

Style Designator:

Threaded at small end

**Thread Series Designator:** 

Unf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-6758 spec.