NSN 5315-00-664-7208

Headless Grooved Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-664-7208 First End Style: Chamfered **Overall Length:** 0.500 inches Diameter: Between 0.2193 inches and 0.2198 inches **Effective Length:** 0.400 inches **Undercut Diameter:** Between 0.204 inches and 0.206 inches **Undercut Width:** Between 0.017 inches and 0.019 inches **Second Undercut Width:** Between 0.017 inches and 0.019 inches First End Taper Length: 0.016 inches Second End Relationship With First End: Identical **Hardness Rating:** 44.0 rockwell c and 48.0 rockwell c **First End Location:** Both ends First End Taper Angle: 45.0 degrees Material: Steel comp e4340 or steel comp 4340 **Material Specification:** Mil-s-5000, cond c military specification all material responses **Surface Treatment:** Oxide **Surface Treatment Specification:** Mil-c-13924, class 2 military specification single treatment response **Style Designator:** Groove Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No Fiig:

A212a0

NSN 5315-00-664-7208

Headless Grooved Pin - Page 2 of 2



Mil-std (military Standard):

Mil-s-5000 spec.