

View Online at <https://aerobasegroup.com/nsn/5315-00-675-2637>

**First End Style:**

Square

**Second End Style:**

Chamfered

**Shank Length:**

1.055 inches

**Shoulder Diameter:**

Between 1.3105 inches and 1.3115 inches

**Shank Diameter:**

Between 0.9357 inches and 0.9367 inches

**Overall Length:**

6.000 inches

**Hole Arrangement Style:**

Drilled through head

**First Hole Diameter:**

Between 0.515 inches and 0.524 inches

**Distance From Centerline Of Hole To End Of Pin:**

Between 5.442 inches and 5.448 inches

**End Application:**

C-130 landing gear components

**Second End Taper Length:**

0.650 inches

**Second End Relationship With First End:**

Not identical

**First End Location:**

Small end

**Criticality Code Justification:**

Agav

**Surface Finish:**

125.0 microinches

**Product Name:**

Pin, drag, main landing gear

**Material:**

Steel comp 4340

**Style Designator:**

Shoulder

**General Description:**

Matl steel 4340; length 6.000 in.; 1st end diameter 0.9362 in. Nom; shank diameter 1.3110 in. Nom; 2nd end diameter 0.500 in. Nom; 1st end length 1.055 in. Nom; shank length 4.295; 2nd end length 0.650 in. Nom; one thd hole through side 0.500-20unf-3b; one drilled hole through 1st end 0.515 to 0.524 in.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli