NSN 5315-00-678-7072

Headless Grooved Pin - Page 1 of 2

Between 6.115 inches and 6.135 inches

Between 1.740 inches and 1.745 inches

Chamfered

Diameter:

Second End Style: Chamfered w/thru hole

Overall Length:

Effective Length: 5.907 inches



View Online at https://aerobasegroup.com/nsn/5315-00-678-7072 First End Style:

Undercut Diameter:
1.062 inches
Undercut Width:
0.156 inches
First End Taper Length:
0.062 inches
Second End Taper Length:
0.125 inches
Second End Relationship With First End:
Identical
First End Location:
Opposite grooved end
First End Taper Angle:
45.0 degrees
Second End Taper Angle:
45.0 degrees
Special Features:
2350-00-122-6826 recovery vehicle
Material:
Steel comp 4820 or steel comp 8620 or steel comp 4817 or steel comp 4620
Material Specification:
Astm a 322 assn standard single material response or astm a 331 assn standard single material response
Surface Treatment:
Phosphate
Surface Treatment Specification:
Mil-p-16232, type m, class 2 military specification single treatment response
Style Designator:
Groove
Shelf Life:
N/a
Unit Of Measure:

NSN 5315-00-678-7072

Headless Grooved Pin - Page 2 of 2



Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-p-16232 spec.