

NSN 5315-00-680-2834 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-00-680-2834 First End Style: Chamfered Second End Style: Square **Thread Class:** 2a **Thread Direction:** Right-hand **Shank Length:** 0.219 inches **Shoulder Diameter:** 0.250 inches **Shank Diameter:** 0.164 inches **Overall Length:** 1.188 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: Between 0.066 inches and 0.069 inches **Distance From Centerline Of Hole To End Of Pin:** 0.125 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Not identical Hardness Rating: 25.0 rockwell c **Thread Size:** 

0.164 inches

Second Shank Diameter:

0.185 inches

First End Location:

Short shank end

First End Taper Angle:

45.0 degrees

**Second Shank Length:** 

0.656 inches

Material:

Steel comp 416

**Material Specification:** 

Astm a582, cond b assn standard single material response

## NSN 5315-00-680-2834

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Passivate
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A212a0