## NSN 5315-00-692-3234

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-692-3234 First End Style: Chamfered **Second End Style:** Square **Shank Length:** Between 0.250 inches and 1.984 inches Shoulder Diameter: Between 0.497 inches and 0.498 inches **Shank Diameter:** Between 0.306 inches and 0.307 inches **Overall Length:** 2.359 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Not identical **Second Shank Diameter:** Between 0.310 inches and 0.311 inches **First End Location:** Short shank end First End Taper Angle: 45.0 degrees **Surface Finish:** 32.0 microinches **Special Features:** Rockwell c scale 60 nom of shorter shank 0.875 in. From end; caseharden shorter shank end Material: Steel comp 1016 **Material Specification:** Mil-s-866 military specification single material response **Surface Treatment:** Phosphate manganese **Surface Treatment Specification:** Mil-c-16232, type 1 military specification single treatment response **Style Designator:** Shoulder Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## NSN 5315-00-692-3234

Headless Shoulder Pin - Page 2 of 2



Fiig:

A212a0

Mil-std (military Standard):

Mil-s-866 spec.