## NSN 5315-00-718-6798

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-718-6798

First End Style:
Chamfered
Second End Style:
Chamfered
Shank Length:
0.400 inches
Shoulder Diameter:
Between 0.970 inches and 1.030 inches
Shank Diameter:
0.6248 inches
Overall Length:
Between 1.970 inches and 2.030 inches
First End Taper Length:
0.030 inches
Second End Taper Length:
0.060 inches
Second End Relationship With First End:
Not identical
Hardness Rating:
23.0 rockwell c
Second Shank Diameter:
0.6266 inches
First End Location:
Both ends
First End Taper Angle:
44.5 degrees
Surface Finish:
63.000 microinches
Second End Taper Angle:
45.5 degrees
Second Shank Length:
1.125 inches
Material:
Steel
Material Specification:
Mil-s-5000 cond c4 military specification single material response or mil-s-5626 cond c4 military specification single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, type 1, class 2 federal specification single treatment response

Qq-p-416, type 1, class 2 federal specification single treatment response

## Style Designator:

Shoulder

## NSN 5315-00-718-6798

Headless Shoulder Pin - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

## Mil-std (military Standard):

Mil-s-5000 spec.

