NSN 5315-00-740-9379

Headless Grooved Pin - Page 1 of 2

First End Style:



View Online at https://aerobasegroup.com/nsn/5315-00-740-9379

| Chamfered |
|---|
| Overall Length: |
| Between 2.484 inches and 2.516 inches |
| Diameter: |
| Between 0.4355 inches and 0.4395 inches |
| Effective Length: |
| 1.438 inches |
| Undercut Diameter: |
| Between 0.359 inches and 0.391 inches |
| Undercut Width: |
| 0.156 inches |
| Second Undercut Width: |
| 0.156 inches |
| Undercut Radius: |
| Between 0.109 inches and 0.141 inches |
| Hole Arrangement Style: |
| Both end drilled |
| First Hole Diameter: |
| Between 0.123 inches and 0.128 inches |
| Second Hole Diameter: |
| Between 0.123 inches and 0.128 inches |
| Distance From Centerline Of Hole To End Of Pin: |
| Distance From Centerline Of Hole To End Of Pin: |
| Between 0.797 inches and 0.828 inches |
| |
| Between 0.797 inches and 0.828 inches |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical First End Location: |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical First End Location: Both ends |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical First End Location: Both ends First End Taper Angle: |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical First End Location: Both ends First End Taper Angle: Between 44.0 degrees and 46.0 degrees |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical First End Location: Both ends First End Taper Angle: Between 44.0 degrees and 46.0 degrees Material: |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical First End Location: Both ends First End Taper Angle: Between 44.0 degrees and 46.0 degrees Material: Steel |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical First End Location: Both ends First End Taper Angle: Between 44.0 degrees and 46.0 degrees Material: Steel Style Designator: |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical First End Location: Both ends First End Taper Angle: Between 44.0 degrees and 46.0 degrees Material: Steel Style Designator: Groove |
| Between 0.797 inches and 0.828 inches Center To Center Distance Between Holes: Between 0.859 inches and 0.891 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical First End Location: Both ends First End Taper Angle: Between 44.0 degrees and 46.0 degrees Material: Steel Style Designator: Groove Shelf Life: |

NSN 5315-00-740-9379

Headless Grooved Pin - Page 2 of 2



Demilitarization:

No

Fiig:

A212a0