

View Online at <https://aerobasegroup.com/nsn/5315-00-820-6860>

**First End Style:**

Chamfered

**Second End Style:**

Chamfered

**Shank Length:**

0.206 inches

**Shoulder Diameter:**

Between 0.3093 inches and 0.3098 inches

**Shank Diameter:**

Between 0.2397 inches and 0.2400 inches

**Overall Length:**

0.690 inches

**First End Taper Length:**

0.040 inches

**Second End Taper Length:**

0.120 inches

**Second End Relationship With First End:**

Not identical

**Second Shank Diameter:**

Between 0.279 inches and 0.283 inches

**First End Location:**

Short shank end

**First End Taper Angle:**

15.0 degrees

**Surface Finish:**

20.0 microinches short shank end

**Second End Taper Angle:**

15.0 degrees

**Second Shank Length:**

0.340 inches

**Material:**

Iron alloy 651 or iron alloy 652

**Material Specification:**

Ams 5721 assn standard 1st material response or ams 5724 assn standard 2nd material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Mil-s-5002 military specification single treatment response

**Style Designator:**

Shoulder

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0

**Mil-std (military Standard):**

Mil-s-5002 spec.