## NSN 5315-00-826-4514

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-826-4514 First End Style: Chamfered **Second End Style:** Square **Shoulder Width Across Flats:** 0.096 inches **Overall Length:** 0.445 inches First Step Diameter: Between 0.180 inches and 0.190 inches First Step Length: Between 0.020 inches and 0.025 inches **Second Step Diameter:** Between 0.0956 inches and 0.0959 inches **Second Step Length:** Between 0.060 inches and 0.065 inches Third Step Diameter: Between 0.0926 inches and 0.0929 inches Third Step Length: Between 0.300 inches and 0.310 inches First End Taper Length: Between 0.020 inches and 0.040 inches **Second End Relationship With First End:** Not identical Hardness Rating: 32.0 rockwell c and 36.0 rockwell c **First End Location:** Long end First End Taper Angle: Between 25.0 degrees and 35.0 degrees **Special Features:** End opposite long shank has 0.062in. Maximum dia Material:

Steel

**Material Specification:** 

Ams6382 assn standard single material response

**Surface Treatment:** 

Nickel

**Surface Treatment Specification:** 

Ams2404 assn standard single treatment response

Style Designator:

Shoulder

## NSN 5315-00-826-4514

Headless Shoulder Pin - Page 2 of 2



	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0