NSN 5315-00-849-2081

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-849-2081 First End Style: Chamfered Second End Style: Slotted **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.281 inches **Shank Length:** 0.344 inches **Shoulder Width Across Flats:** Between 0.249 inches and 0.250 inches **Shank Diameter:** Between 0.112 inches and 0.235 inches **Overall Length:** Between 0.781 inches and 0.813 inches Second End Slot Width: 0.062 inches First End Taper Length: 0.031 inches **Second End Slot Depth:** 0.310 inches Second End Relationship With First End: Not identical **Thread Size:** 0.112 inches **Second Shank Diameter:** Between 0.112 inches and 0.235 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees **Second Shank Length:** 0.391 inches Material: Steel comp 303 **Material Specification:** Qq-s-764, cond a federal specification single material response

Surface Treatment: Passivate

NSN 5315-00-849-2081

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A212a0