

View Online at <https://aerobasegroup.com/nsn/5315-00-856-2469>

First End Style:

Chamfered

Second End Style:

Chamfered

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.419 inches

Shank Length:

0.450 inches

Shoulder Diameter:

Between 0.464 inches and 0.467 inches

Shank Diameter:

0.312 inches

Overall Length:

1.550 inches

Internal Drive Style:

Slot

First End Taper Length:

0.047 inches

Second End Taper Length:

0.300 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.312 inches

Second Shank Diameter:

Between 0.3730 inches and 0.3738 inches

First End Location:

Large end

First End Taper Angle:

45.0 degrees

Surface Finish:

125.000 microinches

Second End Taper Angle:

15.0 degrees

Second Shank Length:

0.450 inches

Material:

Steel comp 4130

Material Specification:

Mil-s-6758 military specification single material response

Surface Treatment:

Cadmium

Style Designator:

Shoulder

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0

Mil-std (military Standard):

Mil-s-6758 spec.