NSN 5315-00-878-9169

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-878-9169

First End Style: Chamfered Second End Style: Pointed Thread Class: 2a Thread Class: 2a Thread Direction: Right-hand Thread Length: 0.281 inches Shank Length: 0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches Shank Diameter:
Second End Style: Pointed Thread Class: 2a Thread Direction: Right-hand Thread Length: 0.281 inches Shank Length: 0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
Pointed Thread Class: 2a Thread Direction: Right-hand Thread Length: 0.281 inches Shank Length: 0.344 inches Boulder Width Across Flats: Between 0.245 inches and 0.250 inches
Thread Class: 2a Thread Direction: Right-hand Thread Length: 0.281 inches Shank Length: 0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
2a Thread Direction: Right-hand Thread Length: 0.281 inches Shank Length: 0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
Thread Direction: Right-hand Thread Length: 0.281 inches Shank Length: 0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
Right-hand Thread Length: 0.281 inches Shank Length: 0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
Thread Length: 0.281 inches Shank Length: 0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
0.281 inches Shank Length: 0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
Shank Length: 0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
0.344 inches Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
Shoulder Width Across Flats: Between 0.245 inches and 0.250 inches
Between 0.245 inches and 0.250 inches
Shank Diameter:
0.112 inches
Overall Length:
Between 0.781 inches and 0.813 inches
First End Taper Length:
0.031 inches
Second End Taper Length:
0.045 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.112 inches
Second Shank Diameter:
0.156 inches
First End Location:
Threaded end
First End Taper Angle:
45.0 degrees
Second End Taper Angle:
60.0 degrees
Second Shank Length:
0.391 inches
Material:
Steel comp 303
Material Specification:
Qq-s-764, cond a federal specification single material response
Surface Treatment:
Passivate

NSN 5315-00-878-9169

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0