

View Online at <https://aerobasegroup.com/nsn/5315-00-895-6337>

**First End Style:**

Chamfered

**Second End Style:**

Chamfered

**Shank Length:**

Between 0.250 inches and 0.270 inches

**Shoulder Diameter:**

Between 0.5626 inches and 0.5636 inches

**Shank Diameter:**

Between 0.480 inches and 0.485 inches

**Overall Length:**

Between 1.238 inches and 1.258 inches

**First End Taper Length:**

Between 0.020 inches and 0.030 inches

**Second End Taper Length:**

Between 0.115 inches and 0.135 inches

**Second End Relationship With First End:**

Not identical

**Hardness Rating:**

39.0 rockwell c and 43.0 rockwell c

**First End Location:**

Shank end

**First End Taper Angle:**

Between 45.0 degrees and 46.0 degrees

**Surface Finish:**

90.000 microinches

**Second End Taper Angle:**

Between 10.0 degrees and 11.0 degrees

**Material:**

Steel

**Material Specification:**

Mil-s-6758, sae 4130 military specification single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416 federal specification single treatment response

**Style Designator:**

Shoulder

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0

**Mil-std (military Standard):**

Mil-s-6758 spec.