NSN 5315-00-895-6337

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-895-6337 First End Style: Chamfered **Second End Style:** Chamfered **Shank Length:** Between 0.250 inches and 0.270 inches Shoulder Diameter: Between 0.5626 inches and 0.5636 inches **Shank Diameter:** Between 0.480 inches and 0.485 inches **Overall Length:** Between 1.238 inches and 1.258 inches First End Taper Length: Between 0.020 inches and 0.030 inches **Second End Taper Length:** Between 0.115 inches and 0.135 inches Second End Relationship With First End: Not identical **Hardness Rating:** 39.0 rockwell c and 43.0 rockwell c **First End Location:** Shank end First End Taper Angle: Between 45.0 degrees and 46.0 degrees **Surface Finish:** 90.000 microinches **Second End Taper Angle:** Between 10.0 degrees and 11.0 degrees Material: Steel **Material Specification:** Mil-s-6758, sae 4130 military specification single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416 federal specification single treatment response **Style Designator:** Shoulder Shelf Life: N/a

--

Unit Of Measure:

NSN 5315-00-895-6337

Headless Shoulder Pin - Page 2 of 2



Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-6758 spec.