

View Online at <https://aerobasegroup.com/nsn/5315-00-898-6491>

**Shank Diameter:**

Between 0.1885 inches and 0.1890 inches

**Button Handle Diameter:**

0.560 inches

**Detent Quantity:**

2

**Lanyard Length:**

Between 4.500 inches and 5.500 inches

**Actuation Method:**

Push button

**Grip Length:**

Between 0.068 inches and 0.098 inches

**Actuation Type:**

Push

**Hardness Rating:**

58.0 rockwell c detent and 62.0 rockwell c detent

**Shoulder To Head End Distance:**

0.830 inches

**Pin Attachment Type:**

Cable lanyard w/terminations

**Detent To Tapered End Distance:**

1.020 inches

**Special Features:**

Shank has extension 0.200 in. L and 0.1545 in. Min and 0.1550 in. Maximum dia

**Material:**

Steel comp 630 spindle or steel comp 632 spindle

**Material Specification:**

Ams 5643 assn standard 1st material response spindle or ams 5657 assn standard 2nd material response spindle

**Surface Treatment:**

Passivate spindle

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response spindle

**Style Designator:**

Button

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0