NSN 5315-00-909-3026

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-909-3026

First End Style:
Chamfered
Second End Style:
Square
Shank Length:
0.070 inches
Shoulder Diameter:
Between 0.245 inches and 0.248 inches
Shank Diameter:
Between 0.120 inches and 0.125 inches
Overall Length:
Between 0.810 inches and 0.820 inches
Hole Arrangement Style:
One end drilled
First Hole Diameter:
Between 0.127 inches and 0.129 inches
Distance From Centerline Of Hole To End Of Pin:
0.508 inches
First End Taper Length:
Between 0.015 inches and 0.020 inches
Second End Taper Length:
0.020 inches
Second End Relationship With First End:
Not identical
Hardness Rating:
40.0 rockwell c and 45.0 rockwell c
First End Location:
Shank end
First End Taper Angle:
45.0 degrees
Criticality Code Justification:
Aavh and aaze and abrc
Surface Finish:
125.000 microinches
Second End Taper Angle:
45.0 degrees
Material:
Steel
Material Specification:
Qq-s-624 federal specification single material response
Style Designator:
Shoulder

NSN 5315-00-909-3026

Headless Shoulder Pin - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A212a0

