NSN 5315-00-942-5340

Headless Shoulder Pin - Page 1 of 2

First End Style: Chamfered Thread Class:

За

Shoulder



View Online at https://aerobasegroup.com/nsn/5315-00-942-5340

Thread Direction:
Right-hand
Thread Length:
0.600 inches
Shank Length:
Between 0.710 inches and 0.730 inches
Width Between Flats:
Between 0.375 inches and 0.378 inches
Shoulder Diameter:
Between 0.685 inches and 0.686 inches
Shank Diameter:
Between 0.4985 inches and 0.4995 inches
Overall Length:
Between 1.840 inches and 1.880 inches
Internal Drive Style:
Socket
First End Taper Length:
Between 0.030 inches and 0.060 inches
Second End Relationship With First End:
Identical
Hardness Rating:
30.0 rockwell c and 38.0 rockwell c
Thread Size:
0.438 inches
First End Location:
Both ends
First End Taper Angle:
45.0 degrees
Material:
Stainless steel
Material Specification:
Ams 5616 assn standard single material response
Surface Treatment:
Chromium
Surface Treatment Specification:
Ams 2406 assn standard single treatment response
Style Designator:

NSN 5315-00-942-5340

Headless Shoulder Pin - Page 2 of 2



Thread	Series	Designator	:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0