## NSN 5315-00-949-9074

Headless Shoulder Pin - Page 1 of 2

First End Style: Chamfered



View Online at https://aerobasegroup.com/nsn/5315-00-949-9074

Second End Style:
Chamfered
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
1.391 inches
Shank Length:
1.078 inches
Shoulder Diameter:
0.688 inches
Shank Diameter:
Between 0.4360 inches and 0.4370 inches
Overall Length:
2.594 inches
First End Taper Length:
0.045 inches
Second End Taper Length:
0.125 inches
Second End Relationship With First End:
Not identical
Hardness Rating:
41.0 rockwell c and 46.0 rockwell c
Thread Size:
0.438 inches
Second Shank Diameter:
Between 0.4360 inches and 0.4370 inches
First End Location:
Short shank end
First End Taper Angle:
45.0 degrees
Second End Taper Angle:
30.0 degrees
Second Shank Length:
1.391 inches
Material:

Material Specification:

Mil-s-18732 military specification single material response

Steel comp 431

## NSN 5315-00-949-9074

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Cadmium and chromate
Style Designator:
Shoulder
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-s-18732 spec.

A212a0