## NSN 5315-00-958-4440

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-958-4440 First End Style: Chamfered Second End Style: Slotted **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.364 inches **Shank Length:** 0.380 inches **Shoulder Diameter:** Between 0.369 inches and 0.381 inches **Shank Diameter:** 0.190 inches **Overall Length:** 1.380 inches **Internal Drive Style:** Slot **Hole Arrangement Style:** Drilled shank threaded pin First Hole Diameter: Between 0.040 inches and 0.048 inches **Distance From Centerline Of Hole To End Of Pin:** 0.940 inches **Second End Slot Width:** 0.060 inches First End Taper Length: 0.030 inches **Second End Slot Depth:** 0.100 inches Second End Relationship With First End: Not identical **Thread Size:** 0.190 inches **First End Location:** Shank end First End Taper Angle: 45.0 degrees

250.000 microinches

**Surface Finish:** 

## NSN 5315-00-958-4440

Headless Shoulder Pin - Page 2 of 2

**Fiig:** A212a0



Material:
Steel comp 303
Material Specification:
Qq-s-764, type 303 cond b federal specification single material response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No