NSN 5315-00-966-7086

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-966-7086

First End Style:
Chamfered
Second End Style:
Chamfered
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.688 inches
Shank Length:
0.750 inches
Shoulder Width Across Flats:
0.750 inches
Shank Diameter:
0.500 inches
Overall Length:
Between 1.995 inches and 2.005 inches
First End Taper Length:
0.031 inches
Second End Taper Length:
0.125 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.500 inches
Second Shank Diameter:
0.500 inches
First End Location:
Threaded end
First End Taper Angle:
45.0 degrees
Second End Taper Angle:
45.0 degrees
Second Shank Length:
1.125 inches
Material:
Steel comp 303
Material Specification:
Qq-s-764, cond a federal specification single material response
Surface Treatment:

Passivate

NSN 5315-00-966-7086

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:

Mil-f-14072, e300 military specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-f-14072 spec.