NSN 5315-00-974-0547

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-974-0547 First End Style: Slotted **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.120 inches **Shoulder Diameter:** 0.164 inches **Overall Length:** 1.365 inches First Step Diameter: Between 0.246 inches and 0.247 inches First Step Length: 0.172 inches **Second Step Diameter:** Between 0.120 inches and 0.130 inches **Second Step Length:** 0.915 inches **Third Step Diameter:** Between 0.098 inches and 0.100 inches Third Step Length: Between 0.108 inches and 0.118 inches First End Slot Width: Between 0.028 inches and 0.031 inches First End Slot Depth: Between 0.030 inches and 0.035 inches Second End Relationship With First End: Not identical **Thread Size:** 0.164 inches First End Location: Unthreaded end **Special Features:** 0.035 in. W 0.050 in. Dp slot, 0.059 in. Thd hole 0.186 in. Dp centeredin threaded end Material: Stainless steel **Material Specification:**

Style Designator: Shoulder

Mil-s-7720 military specification single material response

NSN 5315-00-974-0547

Headless Shoulder Pin - Page 2 of 2



Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard):

Mil-s-7720 spec.