NSN 5315-00-989-7631

Headed Straight Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-989-7631
Head Style:
Pan no. 2 (r1 not required in item description)
Chamfer Length:
0.062 inches
Diameter:
Between 0.184 inches and 0.186 inches
Under Head Length:
Between 0.335 inches and 0.355 inches
Hole Arrangement Style:
One end drilled
First Hole Diameter:
Between 0.066 inches and 0.086 inches
Distance From Centerline Of Hole To End Of Pin:
0.088 inches
Hardness Rating:
26.5 rockwell c and 32.0 rockwell c
Pin Chamfer Angle:
Between 14.5 degrees and 15.5 degrees
Shear Strength:
4140 double pound
Pin Head Diameter:
Between 0.296 inches and 0.328 inches
Special Features:
Shank end may have either a chamfer or radius at the option of the vendor
Height:
Between 0.030 inches and 0.062 inches
Material:
Steel comp 4037 or steel comp 4130 or steel comp 8630
Material Specification:
Ams 6300 assn standard 1st material response or mil-s-6758 military specification 2nd material response or mil-s-6050 military specification
3rd material response
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416, type 2 cl 2 federal specification single treatment response
Style Designator:
Straight

Unit Of Measure:

Shelf Life:

Demilitarization:

No

N/a

NSN 5315-00-989-7631

Headed Straight Pin - Page 2 of 2



Fiig:

A212a0

Mil-std (military Standard):

Mil-s-6758 spec.