## NSN 5315-00-999-2647

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-999-2647 First End Style: Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.500 inches **Shank Length:** 0.594 inches **Shoulder Diameter:** 0.625 inches **Shank Diameter:** 0.281 inches **Overall Length:** 1.438 inches **Hole Arrangement Style:** One end drilled First Hole Diameter: Between 0.125 inches and 0.129 inches **Distance From Centerline Of Hole To End Of Pin:** 0.188 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical **Thread Size:** 0.375 inches **Second Shank Diameter:** 0.281 inches First End Location:

Both ends

First End Taper Angle:

45.0 degrees

**Second Shank Length:** 

0.594 inches

Material:

Steel comp 1015 or steel comp 1016 or steel comp 1018 or steel comp 1020 or steel comp 1022 or steel comp 1025

**Material Specification:** 

Astm a108 assn standard all material responses

**Surface Treatment:** 

Cadmium

## NSN 5315-00-999-2647

Headless Shoulder Pin - Page 2 of 2



Surface Treatm	ent Specification:
----------------	--------------------

Qq-p-416, type 2, cl 2 federal specification single treatment response

**Style Designator:** 

Shoulder

**Thread Series Designator:** 

Unc

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0