## NSN 5315-01-008-0483

Quick Release Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5315-01-008-0483

| Head Diameter:   |
|--|
| Between 0.360 inches and 0.450 inches  |
| Shank Diameter:  |
| Between 0.187 inches and 0.188 inches  |
| Ring Handle Diameter:  |
| Between 1.000 inches and 1.125 inches  |
| Detent Quantity:   |
| 2  |
| Grip Length:   |
| Between 4.100 inches and 4.120 inches  |
| Actuation Type:  |
| Pull   |
| Features Provided:   |
| Lock open feature  |
| Hardness Rating:   |
| 40.0 rockwell c  |
| Shear Strength:  |
| 4600 double pounds per square inch   |
| Shoulder To Head End Distance:   |
| 0.935 inches   |
| Pin Attachment Type:   |
| · ·  |
| Ring   |
|  |
| Ring   |
| Ring  Detent To Tapered End Distance:  |
| Ring  Detent To Tapered End Distance:  0.410 inches  |
| Ring  Detent To Tapered End Distance:  0.410 inches  Material:   |
| Ring  Detent To Tapered End Distance:  0.410 inches  Material:  Steel comp 303 detent  |
| Ring  Detent To Tapered End Distance:  0.410 inches  Material:  Steel comp 303 detent  Material Specification:   |
| Ring  Detent To Tapered End Distance:  0.410 inches  Material:  Steel comp 303 detent  Material Specification:  Qq-s-764, type 303, cond a federal specification single material response button   |
| Petent To Tapered End Distance: 0.410 inches  Material: Steel comp 303 detent  Material Specification: Qq-s-764, type 303, cond a federal specification single material response button  Surface Treatment:  |
| Ring  Detent To Tapered End Distance:  0.410 inches  Material:  Steel comp 303 detent  Material Specification:  Qq-s-764, type 303, cond a federal specification single material response button  Surface Treatment:  Passivate  |
| Ring  Detent To Tapered End Distance:  0.410 inches  Material:  Steel comp 303 detent  Material Specification:  Qq-s-764, type 303, cond a federal specification single material response button  Surface Treatment:  Passivate  Style Designator:   |
| Ring  Detent To Tapered End Distance:  0.410 inches  Material:  Steel comp 303 detent  Material Specification:  Qq-s-764, type 303, cond a federal specification single material response button  Surface Treatment:  Passivate  Style Designator:  Ring handle  |
| Petent To Tapered End Distance: 0.410 inches  Material: Steel comp 303 detent  Material Specification: Qq-s-764, type 303, cond a federal specification single material response button Surface Treatment: Passivate Style Designator: Ring handle Shelf Life:   |
| Petent To Tapered End Distance: 0.410 inches  Material: Steel comp 303 detent  Material Specification: Qq-s-764, type 303, cond a federal specification single material response button Surface Treatment: Passivate Style Designator: Ring handle Shelf Life: N/a                                     |
| Petent To Tapered End Distance: 0.410 inches  Material: Steel comp 303 detent  Material Specification: Qq-s-764, type 303, cond a federal specification single material response button Surface Treatment: Passivate Style Designator: Ring handle Shelf Life: N/a                                     |
| Petent To Tapered End Distance:  0.410 inches  Material: Steel comp 303 detent  Material Specification: Qq-s-764, type 303, cond a federal specification single material response button Surface Treatment: Passivate Style Designator: Ring handle Shelf Life: N/a Unit Of Measure:                   |
| Petent To Tapered End Distance:  0.410 inches  Material: Steel comp 303 detent  Material Specification: Qq-s-764, type 303, cond a federal specification single material response button Surface Treatment: Passivate Style Designator: Ring handle Shelf Life: N/a Unit Of Measure: Demilitarization: |