

View Online at <https://aerobasegroup.com/nsn/5315-01-009-3015>

**First End Style:**

Chamfered

**Second End Style:**

Slotted

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.350 inches

**Shank Length:**

Between 1.250 inches and 1.260 inches

**Shoulder Diameter:**

0.311 inches

**Shank Diameter:**

Between 0.157 inches and 0.163 inches

**Overall Length:**

Between 2.010 inches and 2.020 inches

**Internal Drive Style:**

Slot

**Second End Slot Width:**

0.052 inches

**First End Taper Length:**

0.020 inches

**Second End Slot Depth:**

0.070 inches

**Second End Relationship With First End:**

Not identical

**Thread Size:**

0.164 inches

**First End Location:**

Shank end

**First End Taper Angle:**

45.0 degrees

**Surface Finish:**

32.0 microinches shoulder end

**Second End Outer Radius:**

0.120 inches

**Material:**

Steel comp 630

**Material Specification:**

Ams 5643, 17-4ph assn standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-416, type 2, cl 3 federal specification single treatment response

**Style Designator:**

Shoulder

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0