## NSN 5315-01-022-2114

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-022-2114 First End Style: Chamfered Second End Style: Slotted **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.280 inches and 0.290 inches **Shank Length:** Between 1.460 inches and 1.470 inches **Shoulder Diameter:** Between 0.3053 inches and 0.3125 inches **Shank Diameter:** Between 0.2395 inches and 0.2405 inches **Overall Length:** 1.750 inches Second End Slot Width: 0.060 inches First End Taper Length: 0.060 inches **Second End Slot Depth:** 0.080 inches Second End Relationship With First End: Not identical **Thread Size:** 0.312 inches **First End Location:** Shank end First End Taper Angle: 60.0 degrees Material: Steel comp 4130 **Surface Treatment:** Cadmium **Surface Treatment Specification:** Ps13101 type 2 cl 2 fscm 76301 mfr ref single treatment response **Style Designator:** Shoulder

**Thread Series Designator:** 

Unc

## NSN 5315-01-022-2114

Headless Shoulder Pin - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A212a0