## NSN 5315-01-023-3151

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-023-3151

First End Style: Chamfered Second End Style: Square Shank Length: 0.694 inches Shoulder Diameter: 0.187 inches Shank Diameter: Between 0.0922 inches and 0.0932 inches **Overall Length:** 1.094 inches **Undercut Diameter:** Between 0.088 inches and 0.090 inches **Undercut Width:** Between 0.010 inches and 0.015 inches Second Undercut Width: Between 0.010 inches and 0.015 inches Second Undercut Diameter: Between 0.088 inches and 0.090 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Not identical Hardness Rating: 52.0 rockwell c and 56.0 rockwell c Second Shank Diameter: Between 0.0922 inches and 0.0932 inches **First End Location:** Shank end First End Taper Angle: 30.0 degrees Second Shank Length: 0.694 inches Material: Steel comp 1095 **Surface Treatment:** Oxide **Surface Treatment Specification:** Mil-c-13924 cl 2 military specification single treatment response **Style Designator:** 

Undercut

## NSN 5315-01-023-3151

Headless Shoulder Pin - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

## Mil-std (military Standard):

Mil-c-13924 spec.

