## NSN 5315-01-041-1438

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-041-1438 First End Style: Chamfered **Shank Length:** Between 0.2015 inches and 0.2065 inches Shoulder Diameter: Between 0.127 inches and 0.129 inches **Shank Diameter:** Between 0.123 inches and 0.124 inches **Overall Length:** Between 0.590 inches and 0.600 inches First End Taper Length: 0.015 inches Second End Relationship With First End: Identical **Second Shank Diameter:** Any acceptable **First End Location:** Both ends First End Taper Angle: 45.0 degrees **Second Shank Length:** Any acceptable **Special Features:** Shoulder, straight fine knurl 0.025 to 0.030 circular pitch with an included angle of 90 deg Material: Steel comp 1020 **Material Specification:** Qq-s-633 federal specification single material response **Surface Treatment:** Phosphate manganese **Surface Treatment Specification:** Mil-c-16232, type 1 military specification single treatment response **Style Designator:** Shoulder Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig: A212a0

## NSN 5315-01-041-1438

Headless Shoulder Pin - Page 2 of 2



Mil-std (military Standard):

Mil-c-16232 spec.