## NSN 5315-01-046-1586

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-046-1586 First End Style: Oval Second End Style: Square **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.630 inches **Shank Length: 4.220 inches Shoulder Diameter:** 0.750 inches **Shank Diameter:** 0.490 inches **Overall Length:** 5.020 inches **Hole Arrangement Style:** Both end drilled First Hole Diameter: 0.095 inches **Second Hole Diameter:** 0.047 inches Distance From Centerline Of Hole To End Of Pin: 0.180 inches **Center To Center Distance Between Holes:** 4.540 inches Second End Relationship With First End: Not identical **Thread Size:** 0.625 inches **Second Shank Diameter:** 0.490 inches **First End Location:** Shank end First End Outer Radius:

0.500 inches

Surface Finish:
125.000 microinches

Second Shank Length:
0.620 inches

## NSN 5315-01-046-1586

Headless Shoulder Pin - Page 2 of 2



Special Features:
Short shank is square, 0.500 in. Across flats, shank between shoulder, threads undercut 0.545 in. Dia, 0.150 in. Lg
Material:
Steel
Material Specification:
Mil-s-8844 class 1 cond e military specification single material response
Style Designator:
Shoulder
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-8844 spec.