## NSN 5315-01-052-6649

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-052-6649

First End Style:

Chamfered

Second End Style:

Chamfered

Thread Class:

2a

### **Thread Direction:**

**Right-hand** 

Thread Length:

4.688 inches

Shank Length:

5.688 inches

Shoulder Diameter:

1.000 inches

Shank Diameter:

## 0.750 inches

**Overall Length:** 

6.000 inches

First End Taper Length:

0.031 inches

Second End Taper Length:

0.062 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.750 inches

First End Location:

Both ends

First End Taper Angle:

45.0 degrees

Second End Taper Angle:

45.0 degrees

#### **Special Features:**

Flatted shank 5.188 in. Nom Ig from pin threaded end, 0.615 in. Min to 0.620 in. Maximum width across flats

#### Material:

Nickel alloy 400 or nickel alloy r-405

**Material Specification:** 

Qq-n-281 federal specification all material responses

## Style Designator:

Shoulder

**Thread Series Designator:** 

Unc

# NSN 5315-01-052-6649

Headless Shoulder Pin - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A212a0

