## NSN 5315-01-062-9427

Headless Straight Pin - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5315-01-062-9427

First End Style: Chamfered Hole Arrangement Style: Both end drilled First Hole Diameter: Between 0.077 inches and 0.082 inches Becond Hole Diameter: Between 0.077 inches and 0.082 inches Distance From Centerline Of Hole To End Of Pin: 0.160 inches Center To Center Distance Between Holes:	
Hole Arrangement Style: Both end drilled First Hole Diameter: Between 0.077 inches and 0.082 inches Becond Hole Diameter: Between 0.077 inches and 0.082 inches Distance From Centerline Of Hole To End Of Pin: 0.160 inches Center To Center Distance Between Holes:	
Both end drilled First Hole Diameter: Between 0.077 inches and 0.082 inches Becond Hole Diameter: Between 0.077 inches and 0.082 inches Distance From Centerline Of Hole To End Of Pin: 0.160 inches Center To Center Distance Between Holes:	
First Hole Diameter: Between 0.077 inches and 0.082 inches Becond Hole Diameter: Between 0.077 inches and 0.082 inches Distance From Centerline Of Hole To End Of Pin: 0.160 inches Center To Center Distance Between Holes:	
Between 0.077 inches and 0.082 inches Becond Hole Diameter: Between 0.077 inches and 0.082 inches Distance From Centerline Of Hole To End Of Pin: 0.160 inches Center To Center Distance Between Holes:	
Second Hole Diameter: Between 0.077 inches and 0.082 inches Distance From Centerline Of Hole To End Of Pin: 0.160 inches Center To Center Distance Between Holes:	
Between 0.077 inches and 0.082 inches Distance From Centerline Of Hole To End Of Pin: 0.160 inches Center To Center Distance Between Holes:	
Distance From Centerline Of Hole To End Of Pin: 0.160 inches Center To Center Distance Between Holes:	
.160 inches Center To Center Distance Between Holes:	
Center To Center Distance Between Holes:	
440 in the second	
.440 inches	
Pinlength:	
.750 inches	
Pindiameter:	
.5000 inches	
irst End Taper Length:	
0.030 inches	
Second End Relationship With First End:	
dentical	
irst End Taper Angle:	
5.0 degrees	
Surface Finish:	
25.0 microinches	
laterial:	
Steel comp 4130 or steel comp 4140	
Surface Treatment:	
Cadmium	
Surface Treatment Specification:	
Qq-p-416, type 2, cl 3 federal specification single treatment response	
Shelf Life:	
I/a	
Init Of Measure:	
Demilitarization:	
lo	
lo iig:	
) - )e	nit Of Measure: emilitarization: