## NSN 5315-01-072-4487

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-072-4487

First End Style:

Chamfered w/thru hole

**Thread Class:** 

2a

Thread Direction:

**Right-hand** 

**Thread Length:** 

0.880 inches

Shank Length:

0.500 inches

Shoulder Diameter:

0.375 inches

**Overall Length:** 

1.380 inches

Hole Arrangement Style:

## Drilled shank threaded pin

First Hole Diameter:

0.1205 inches

Distance From Centerline Of Hole To End Of Pin:

0.250 inches

First End Taper Length:

0.040 inches

Second End Relationship With First End:

Identical

**Thread Size:** 

0.375 inches

First End Location:

Threaded end

First End Taper Angle:

45.0 degrees

## **Special Features:**

The shank is 0.1875 in. Wide by 0.250 in. Thick by 0.500 in. Long; both ends of the drilled hole are countersunk, 0.25 by 45 degree angles; used on xm1

Material:

Steel comp 1015

Surface Treatment:

Cadmium

**Surface Treatment Specification:** 

Qq-p-416, type 2 federal specification single treatment response

Style Designator:

Shoulder

**Thread Series Designator:** 

Unc

## NSN 5315-01-072-4487

Headless Shoulder Pin - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

