## NSN 5315-01-079-9530

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-079-9530 First End Style: Slotted **Second End Style:** Square **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.260 inches **Shank Length:** 0.680 inches **Shoulder Diameter:** 0.300 inches **Shank Diameter:** 0.250 inches **Overall Length:** 1.060 inches **Undercut Diameter:** 0.196 inches **Undercut Width:** 0.120 inches **Hole Arrangement Style:** Drilled slotted end First Hole Diameter: 0.070 inches **Distance From Centerline Of Hole To End Of Pin:** 0.120 inches First End Slot Width: 0.070 inches First End Slot Depth: 0.300 inches Second End Relationship With First End: Not identical **Thread Size:** 0.250 inches **First End Location:** Slot end Material: Steel comp 4130 or steel comp 8630

**Material Specification:** 

Mil-s-6758 military specification 1st material response or mil-s-6050 military specification 2nd material response

## NSN 5315-01-079-9530

Headless Shoulder Pin - Page 2 of 2



Style Designator:
Undercut
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0

Mil-std (military Standard):

Mil-s-6758 spec.