

View Online at <https://aerobasegroup.com/nsn/5315-01-083-2056>

**First End Style:**

Chamfered

**Second End Style:**

Chamfered

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Thread Length:**

1.250 inches

**Taper Length:**

4.000 inches

**Taper Minor Diameter:**

0.380 inches

**Taper Major Diameter:**

1.000 inches

**First End Taper Length:**

0.120 inches

**Second End Taper Length:**

4.000 inches

**Grip Length:**

7.750 inches

**Second End Relationship With First End:**

Not identical

**Thread Size:**

1.000 inches

**Taper:**

1.860 per foot in inches

**First End Location:**

Threaded end

**First End Taper Angle:**

45.0 degrees

**Second End Tip Radius:**

0.190 inches

**Second End Taper Angle:**

106.0 degrees

**Special Features:**

2 flats 180 degrees apart 0.125 deep 0.750 lg 8.000 from first end

**Material:**

Steel comp 1015 or steel comp 1025

**Material Specification:**

Astm a108 assn standard 1st material response or astm a576 assn standard 2nd material response

**Surface Treatment:**

Phosphate manganese

**Surface Treatment Specification:**

Mil-p-16232 ty m cl 2 military specification single treatment response

**Style Designator:**

Threaded at large end

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0

**Mil-std (military Standard):**

Mil-p-16232 spec.