NSN 5315-01-084-1527

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-084-1527

First End Style:
Chamfered
Second End Style:
Chamfered
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.437 inches
First Step Diameter:
Between 0.393 inches and 0.397 inches
First Step Length:
0.875 inches
Second Step Diameter:
Between 0.215 inches and 0.217 inches
Second Step Length:
0.094 inches
Third Step Diameter:
Between 0.134 inches and 0.144 inches
Third Step Length:
0.531 inches
Second End Taper Length:
0.207 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.190 inches
First End Location:
Threaded end
First End Taper Angle:
Between 40.0 degrees and 50.0 degrees
Second End Tip Radius:
0.125 inches
Second End Taper Angle:
45.0 degrees
Material:
Steel comp 303
Material Specification:
Astm a582 assn standard single material response
Surface Treatment:
Passivate

NSN 5315-01-084-1527

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:

Qq-p-35, type 2 federal specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0