## NSN 5315-01-087-4969

Headless Shoulder Pin - Page 1 of 2

First End Style: Chamfered

View Online at https://aerobasegroup.com/nsn/5315-01-087-4969



Second End Style: Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.437 inches First Step Diameter: Between 0.393 inches and 0.397 inches First Step Length: 0.750 inches **Second Step Diameter:** Between 0.215 inches and 0.217 inches **Second Step Length:** 0.094 inches **Third Step Diameter:** 0.190 inches Third Step Length: 0.531 inches First End Taper Length: Between 0.046 inches and 0.056 inches **Second End Taper Length:** 0.407 inches Second End Relationship With First End: Not identical Thread Size: 0.190 inches First End Location: Threaded end First End Taper Angle: Between 40.0 degrees and 50.0 degrees **Second End Tip Radius:** 0.125 inches Material: Steel comp 303 **Material Specification:** Astm a582 cond a assn standard single material response **Surface Treatment: Passivate** 

## NSN 5315-01-087-4969

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:
Qq-p-35 type 2 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:

Unf
Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0