NSN 5315-01-096-3207

Headless Straight Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-096-3207 First End Style: Chamfered Second End Style: Chamfered and countersunk **Hole Arrangement Style:** Both end drilled First Hole Diameter: 10.5 millimeters **Second Hole Diameter:** 4.8 millimeters **Distance From Centerline Of Hole To End Of Pin:** Between 0.600 inches and 0.640 inches **Center To Center Distance Between Holes:** Between 3.310 inches and 4.270 inches Pinlength: Between 6.980 inches and 7.000 inches Pindiameter: Between 2.0110 inches and 2.0150 inches First End Taper Length: Between 0.170 inches and 0.210 inches **Second End Taper Length:** Between 0.170 inches and 0.210 inches **Second End Relationship With First End:** Not identical **Second End Countersink Angle:** 60.0 degrees First End Taper Angle: 30.0 degrees Second End Taper Angle: 30.0 degrees **Second End Countersink Diameter:** Between 0.960 inches and 1.000 inches **Special Features:** Grease fitting hole drilled 3.250 in. Deep on longitudinal center Material: Steel comp 1045 Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5315-01-096-3207 Headless Straight Pin - Page 2 of 2



Fiig:

A212a0