NSN 5315-01-098-7349

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-098-7349

First End Style:

Slotted

Second End Style:

Square

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.243 inches

Shank Length:

0.263 inches

Shoulder Diameter:

Between 0.184 inches and 0.190 inches

Shank Diameter:

0.138 inches

Overall Length:

1.090 inches

Undercut Width:

0.030 inches

First End Slot Width:

Between 0.033 inches and 0.043 inches

First End Slot Depth:

0.050 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.138 inches

Second Shank Diameter:

Between 0.175 inches and 0.185 inches

First End Location:

Unthreaded end

Second Shank Length:

0.650 inches

Special Features:

0.137 in. Min 0.143 in. Maximum dia. Hole, 0.650 in. Deep drilled in slotted end parallel to longitudinal axis

Material:

Steel comp 303

Material Specification:

Astm a582 assn standard single material response

Surface Treatment:

Passivate

NSN 5315-01-098-7349

Headless Shoulder Pin - Page 2 of 2



Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0