NSN 5315-01-106-1268

Headless Shoulder Pin - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5315-01-106-1268



First End Style: Square Second End Style: Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.500 inches **Shank Length:** 0.500 inches **Shoulder Diameter:** 0.500 inches **Shank Diameter:** 0.248 inches **Overall Length:** 1.550 inches **Undercut Diameter:** 0.213 inches **Undercut Width:** 0.050 inches **Second End Taper Length:** 0.350 inches Second End Relationship With First End: Not identical **Thread Size:** 0.250 inches **Second Shank Diameter:** 0.248 inches First End Location: Threaded end **Second End Tip Radius:** 0.060 inches **Second End Taper Angle:** 45.0 degrees **Second Shank Length:** 0.700 inches Material: Steel comp 303 **Material Specification:**

Qq-s-764 federal specification single material response

NSN 5315-01-106-1268

Headless Shoulder Pin - Page 2 of 2

Mil-f-14072 spec.



Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072, finish e-300 f-16 military standard single treatment response
Style Designator:
Undercut
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0
Mil-std (military Standard):