

View Online at <https://aerobasegroup.com/nsn/5315-01-110-2531>

**Overall Length:**

Between 0.485 inches and 0.515 inches

**Diameter:**

Between 0.066 inches and 0.069 inches

**Material Thickness:**

0.012 inches

**Hardness Rating:**

43.0 rockwell c and 52.0 rockwell c

**Shear Strength:**

425 double pound

**Criticality Code Justification:**

Zzzw and feat

**Surface Finish:**

80.0 microinches outside diameter

**Special Features:**

Certified free from mercury contamination

**Material:**

Steel comp 410 or steel comp 420

**Material Specification:**

66 federal standard all material responses

**Surface Treatment:**

Passivate

**Special Test Features:**

Special quality control testing

**Surface Treatment Specification:**

Astm a380 assn standard single treatment response

**Style Designator:**

Slotted

**Test Data Document:**

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Departure From Cited Document:**

As modified by material which must conform to ships parts control center special quality control provisions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0