NSN 5315-01-110-2531

Spring Pin - Page 1 of 1

A212a0



View Online at https://aerobasegroup.com/nsn/5315-01-110-2531

Overall Length:
Between 0.485 inches and 0.515 inches
Diameter:
Between 0.066 inches and 0.069 inches
Material Thickness:
0.012 inches
Hardness Rating:
43.0 rockwell c and 52.0 rockwell c
Shear Strength:
425 double pound
Criticality Code Justification:
Zzzw and feat
Surface Finish:
80.0 microinches outside diameter
Special Features:
Certified free from mercury contamination
Material:
Steel comp 410 or steel comp 420
Material Specification:
66 federal standard all material responses
Surface Treatment:
Passivate
Special Test Features:
Special quality control testing
Surface Treatment Specification:
Astm a380 assn standard single treatment response
Style Designator:
Slotted
Test Data Document:
81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Departure From Cited Document:
As modified by material which must conform to ships parts control center special quality control provisions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: