NSN 5315-01-116-6790

Headless Shoulder Pin - Page 1 of 2

First End Style:

Chamfered and counterbored



View Online at https://aerobasegroup.com/nsn/5315-01-116-6790

Second End Style:
Chamfered
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.160 inches
Shank Length:
0.160 inches
Shoulder Diameter:
0.180 inches
Shank Diameter:
0.060 inches
Overall Length:
3.000 inches
First End Counterbore Diameter:
0.030 inches
First End Counterbore Depth:
0.090 inches
First End Taper Length:
0.030 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.086 inches
First End Location:
Shoulder end
First End Taper Angle:
Between 43.0 degrees and 47.0 degrees
Second End Taper Angle:
45.0 degrees
Material:
Steel comp 303
Material Specification:
Mil-s-772o military specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35, type 4 federal specification single treatment response

NSN 5315-01-116-6790

Headless Shoulder Pin - Page 2 of 2



Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0

Mil-std (military Standard):

Style Designator:

Mil-s-772o spec.