

View Online at <https://aerobasegroup.com/nsn/5315-01-120-8489>

First End Style:

Chamfered and counterbored

Overall Length:

Between 6.350 inches and 6.410 inches

Diameter:

Between 4.496 inches and 4.498 inches

Effective Length:

Between 5.090 inches and 5.150 inches

Undercut Diameter:

Between 4.304 inches and 4.316 inches

Undercut Width:

Between 1.200 inches and 1.250 inches

Second Undercut Width:

Between 1.200 inches and 1.250 inches

First End Counterbore Diameter:

Between 0.970 inches and 1.030 inches

Second End Counterbore Diameter:

Between 0.970 inches and 1.030 inches

First End Counterbore Depth:

Between 0.720 inches and 0.780 inches

Second End Counterbore Depth:

Between 0.720 inches and 0.780 inches

First End Taper Length:

Between 0.470 inches and 0.530 inches

Second End Taper Length:

Between 0.470 inches and 0.530 inches

Second End Relationship With First End:

Identical

Hardness Rating:

45.0 rockwell c and 50.0 rockwell c

Shear Strength:

140000 single pounds per square inch

First End Location:

Both ends

First End Taper Angle:

45.0 degrees

Second End Taper Angle:

45.0 degrees

Material:

Steel comp 4340

Style Designator:

Groove

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0