

View Online at <https://aerobasegroup.com/nsn/5315-01-120-8491>

First End Style:

Chamfered and counterbored

Overall Length:

Between 10.630 inches and 10.710 inches

Diameter:

Between 3.995 inches and 3.997 inches

Effective Length:

Between 9.410 inches and 9.470 inches

Undercut Diameter:

Between 3.786 inches and 3.798 inches

Undercut Width:

Between 1.200 inches and 1.250 inches

Second Undercut Width:

Between 1.200 inches and 1.250 inches

First End Counterbore Diameter:

Between 0.970 inches and 1.030 inches

Second End Counterbore Diameter:

Between 0.970 inches and 1.030 inches

First End Counterbore Depth:

Between 0.720 inches and 0.780 inches

Second End Counterbore Depth:

Between 0.720 inches and 0.780 inches

First End Taper Length:

Between 0.470 inches and 0.530 inches

Second End Taper Length:

Between 0.470 inches and 0.530 inches

Second End Relationship With First End:

Identical

Hardness Rating:

45.0 rockwell c and 50.0 rockwell c

Shear Strength:

140000 single pounds per square inch

First End Location:

Both ends

First End Taper Angle:

45.0 degrees

Second End Taper Angle:

45.0 degrees

Material:

Steel comp 4340

Style Designator:

Groove

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0