## NSN 5315-01-121-0506

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-01-121-0506

First End Style: Square Second End Style: Chamfered **Thread Class:** 2a **Thread Direction: Right-hand Thread Length:** 0.136 inches Shank Length: Between 0.151 inches and 0.161 inches **Shoulder Diameter:** Between 0.186 inches and 0.188 inches Shank Diameter: Between 0.151 inches and 0.161 inches **Overall Length:** 0.968 inches **Undercut Diameter:** 0.081 inches **Undercut Width:** 0.020 inches Second End Taper Length: Between 0.093 inches and 0.094 inches Second End Relationship With First End: Not identical **Thread Size:** 0.112 inches **First End Location:** Threaded end Second End Tip Radius: 0.030 inches Second End Taper Angle: 30.0 degrees **Special Features:** Indent marking 0.190 in. Lg by 0.156 in. H Material: Steel comp 303 **Material Specification:** Astm a582 assn standard single material response **Surface Treatment:** 

Passivate

## NSN 5315-01-121-0506

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Style Designator:

Undercut

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A212a0