

NSN 5315-01-123-6591 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-01-123-6591 First End Style: Square **Second End Style:** Chamfered **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.155 inches **Shank Length:** 0.250 inches **Shoulder Width Across Flats:** 0.250 inches **Shank Diameter:** Between 0.124 inches and 0.125 inches **Overall Length:** 0.725 inches **Undercut Diameter:** Between 0.075 inches and 0.085 inches **Undercut Width:** 0.050 inches **Second End Taper Length:** 0.100 inches Second End Relationship With First End: Not identical **Thread Size:** 0.112 inches

Second Shank Diameter:

Between 0.126 inches and 0.127 inches

First End Location:

Square end

Second End Taper Angle:

Between 20.0 degrees and 25.0 degrees

Second Shank Length:

Between 0.425 inches and 0.435 inches

Material:

Iron alloy 660

Material Specification:

Ams 5737 assn standard single material response

Surface Treatment:

Passivate

NSN 5315-01-123-6591

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Undercut
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A212a0